


MEGA-LIFT™



A HYBRID BALANCE SYSTEM FOR HEAVY SASH FROM 100 TO 130 LBS

**COMBINE BEST QUALITIES OF TORSION AND
EXTENSION SPRING**
PROVIDES EXCEPTIONAL OPERATING CHARACTERISTICS

TUBE DIAMETER OF .875
FITS MOST SIDELOAD HC/AW DESIGNS



BOOSTED FORCE CURVE
HELPS INITIATE OPENING OF SASH

CUSTOM BUILT FOR SPECIFIC APPLICATION
DELIVERS OPTIMAL OPERATING FORCE

HIGH LIFT ASSISTANCE
ALLOWS THE HEAVIEST SASH TO OPERATE EASILY

CLASS 5 RATING
BALANCE LIFTS 70% OF THE SASH WEIGHT

WHITE OR GRAY PVC TUBE COVER
*PROVIDES CONTAMINANT PROTECTION
TUBE BLENDS INTO WINDOW COLOR*



WEIGHT RANGES: 100 - 130 LBS
LENGTHS: 30 - 60 INCHES
AAMA 902-07 CLASS 5
VERIFIED COMPONENT

Solutions That Set New Standards

MEGA-LIFT® WEIGHT CAPACITY CHART

BALANCE SIZES AVAILABLE		
MEGA-LIFT BALANCE NO.	TUBE LENGTH	WEIGHT RANGE (PER PAIR)
30	29.5	100 - 130 LBS
31	30.5	100 - 130 LBS
32	31.5	100 - 130 LBS
33	32.5	100 - 130 LBS
34	33.5	100 - 130 LBS
35	34.5	100 - 130 LBS
36	35.5	100 - 130 LBS
37	36.5	100 - 130 LBS
38	37.5	100 - 130 LBS
39	38.5	100 - 130 LBS
40	39.5	100 - 130 LBS
41	40.5	100 - 130 LBS
42	41.5	100 - 130 LBS
43	42.5	100 - 130 LBS
44	43.5	100 - 130 LBS
45	44.5	100 - 130 LBS
46 - 60	45.5 - 59.5	100 - 130 LBS

HOW TO ORDER:

Please use the chart above to help you in choosing the correct part to order:

1. Determine your sash weight and tube length needed.
2. Locate proper balance number utilizing the ULTRA LIFT® weight capacity chart

** Consult with Caldwell Engineering to verify accessory capability.**