



A HYBRID BALANCE SYSTEM FOR HEAVY SASH UP TO 80 LBS



HIGH LIFT ASSISTANCE
MAKES HEAVY SASH EASY TO OPERATE

.670 TUBE DIAMETER
FITS MANY COMMON BALANCE POCKETS

BOOSTED FORCE CURVE
HELPS INITIATE OPENING OF SASH

CLASS 5 RATING
BALANCE LIFTS 70% OF SASH WEIGHT

LOW CARBON COATED STEEL ROD
RUST RESISTANT WITH LOW FRICTION PROPERTIES

CUSTOM BUILT
MAINTAINS OPTIMAL BALANCE PERFORMANCE

WHITE OR GRAY PVC TUBE COVER
PROVIDES CONTAMINANT PROTECTION
TUBE BLENDS INTO WINDOW COLOR

MUSIC WIRE EXTENSION SPRING
FATIGUE RESISTANT
PREDICTABLE, CONSISTENT PERFORMANCE

WEIGHT RANGES: 10 - 80 LBS
LENGTHS: 8 - 60 INCHES
AAMA 902-07 CLASS 5
VERIFIED COMPONENT

ULTRA -LIFT® WEIGHT CAPACITY CHART

BALANCE SIZES AVAILABLE		
ULTRA-LIFT BALANCE No.	TUBE LENGTH	WEIGHT RANGE (per pair)
8	8.500	10 - 33 lbs.
9	9.500	10 - 44 lbs.
10	10.500	10 - 47 lbs.
11	11.500	10 - 47 lbs.
12	12.500	10 - 54 lbs.
13	13.500	10 - 56 lbs.
14	14.500	10 - 58 lbs.
15	15.500	10 - 62 lbs.
16	16.500	10 - 64 lbs.
17	17.500	10 - 66 lbs.
18	18.500	10 - 68 lbs.
19	19.500	10 - 70 lbs.
20	20.500	10 - 74 lbs.
21	21.500	10 - 76 lbs.
22	22.500	10 - 78 lbs.
23 - 60	23.500 - 60.000	10 - 80 lbs.

HOW TO ORDER:

Please use the chart above to help you in choosing the correct part to order:

1. Determine your sash weight and tube length needed.
2. Locate proper balance number utilizing the ULTRA LIFT® weight capacity chart

** Consult with Caldwell Engineering to verify accessory capability.**